

DIRECTIONS FOR USE

Please read all instructions before using ROD COAT

1. Measure 1 part A to 1 part B into a clean container. Accurate measurement is very important. Unequal measurement of Resin and Catalyst will result in a sticky finish. Use in a room where the temperature is between 75° to 85° F.
2. Mix thoroughly for 2 minutes. Mixing on a flat surface will give more working time.
3. Apply as soon as mixed with a small brush or popsicle stick. If bubbles appear on the surface they can easily be broken by exhaling on them or holding a torch about 6 to 8 inches away and sweeping across the surface until bubbles are gone.
4. After coating allow Rod to turn slowly for approximately 5 minutes, then level the applied coating with lengthwise brush strokes.
5. Rotate Rod at slow speed for approximately 2 hours
6. If stickiness occurs after 12 hours refer to step 1. Apply another coat - this will eliminate the problem.
7. Shelf life of this product is approximately 1 year.

WARNING: Harmful or fatal if swallowed. Severe irritant - vapor harmful. Both resin and hardener are skin irritants. May cause allergic skin reaction. Avoid contact with skin, eyes and clothing. Plastic gloves and other protective clothing should be worn while handling this compound.

Mixed resin and hardener if left in mixing cup beyond 5 minutes will begin to heat up. Avoid breathing vapors. Polymer should be used only by adults or under adult supervision. Hardener contains a polyamine curing agent. Resin contains epoxy bisphenol A resin.

FIRST AID: Oral - if resin is swallowed, induce vomiting and CALL A PHYSICIAN IMMEDIATELY. If hardener is swallowed. DO NOT INDUCE VOMITING. Dilute by giving water or milk to drink if victim is conscious. GET MEDICAL ATTENTION IMMEDIATELY. If combined mixture is swallowed, DO NOT INDUCE VOMITING. Dilute by giving water or milk to drink if victim is conscious, GET MEDICAL ATTENTION IMMEDIATELY.

Eyes - Severe irritant to eyes. In case of eye contact, flush immediately and thoroughly with water for 15 minutes and get prompt medical attention.

Skin - Avoid contact with skin. Wash immediately with soap and rinse thoroughly with water.



WARRANTY: Because we have no control over the working conditions or methods, our liability is limited to the price of this product. A-RESIN B-HARDENER