

Material Safety Data Sheet

24 Hour EMERGENCY ASSISTANCE			GENERAL MSDS ASSISTANCE
CHEMTREC: (800) 424-9300			B.D. CLASSIC (562) 944-6177
ACUTE HEALTH→2	FIRE→1	REACTIVITY→0	HAZARD RATING→ LEAST - 0 SLIGHT - 1 MODERATE - 2 HIGH - 3 EXTREME - 4
* For acute and chronic health effects refer to the discussion in Section III			

SECTION I	NAME
PRODUCT	:BDC 7200P CRACK PATCH PASTE - RESIN A
CHEMICAL NAME	:MODIFIED BISPHENOL A - EPICHLOROHYDRIN BASED EPOXY RESIN
CHEMICAL FAMILY	:EPOXY RESIN

SECTION II-A	PRODUCT/INGREDIENT		
NO.	COMPOSITION	CAS NUMBER	PERCENT
1	4,4 ISOPROPYLIDENEDIPHENOL-EPICHLOROHYDRIN RESIN	25068-38-6	70-100%
2	OXIRANE, MOMO [(C12-14-ALKYLOXY)METHYL] DERVIS	68609-97-2	<15%
3	FUMED SILICA	7631-86-9	<15%
4	PROPRIETARY INGREDIENTS		<20%

COMPONENT 1 IS AN EPOXY RESIN PRODUCED BY THE CONDENSATION REACTION OF EPICHLOROHYDRIN AND BISPHENOL-A. THESE RAW MATERIALS ARE CONSUMED IN THE PROCESS. RESIDUAL LEVEL OF EPICHLORHYRIN IS TYPICALLY 2-3 PPM IN THE PRODUCT.

SECTION II-B	ACUTE TOXICITY DATA		
NO.	ACUTE ORAL LD50	ACUTE DERMAL LD50	ACUTE INHALATION LC50
P	NOT AVAILABLE		
1	30,000 MG/KG (RAT)	>1,200 MG/KG (RAT)	NO DATA AVAILABLE
2	17,100 MG/KG (RAT)	2.0 G/KG (RAT)	NOT AVAILABLE

SECTION III	HAZARDS INFORMATION
-------------	---------------------

THE HEALTH EFFECTS NOTED BELOW ARE CONSISTENT WITH REQUIREMENTS UNDER THE OSHA HAZARD COMMUNICATION STANDARD (29 CFR 1910.1200). THIS MATERIAL IS CONSIDERED HAZARDOUS.

FORM: THIXOTROPIC PASTE/GEL

EMERGENCY OVERVIEW: WARNING! CAUSES EYE AND SKIN IRRITATION. MAY CAUSE ALLERGIC SKIN REACTION. MAY CAUSE RESPIRATORY TRACT IRRITATION.

POTENTIAL ACUTE HEALTH EFFECTS:

INHALATION: SLIGHTLY IRRITATING TO THE RESPIRATORY SYSTEM.
 INGESTION: NOT EXPECTED TO BE HARMFUL UNDER NORMAL CONDITIONS OF USE.
 SKIN: IRRITATING TO SKIN. MAY CAUSE SENSITIZATION BY SKIN CONTACT.
 EYES: IRRITATING TO EYES.

POTENTIAL CHRONIC HEALTH EFFECTS

CHRONIC EFFECTS: NO KNOWN SIGNIFICANT EFFECTS OR CRITICAL HAZARDS
 CARCINOGENICITY: NO KNOWN SIGNIFICANT EFFECTS OR CRITICAL HAZARDS
 MUTAGENICITY: NO KNOWN SIGNIFICANT EFFECTS OR CRITICAL HAZARDS
 TERATOGENICITY: NO KNOWN SIGNIFICANT EFFECTS OR CRITICAL HAZARDS
 DEVELOPMENTAL EFFECTS: NO KNOWN SIGNIFICANT EFFECTS OR CRITICAL HAZARDS
 FERTILITY EFFECTS: NO KNOWN SIGNIFICANT EFFECTS OR CRITICAL HAZARDS
 TARGET ORGANS: NO KNOWN SIGNIFICANT EFFECTS OR CRITICAL HAZARDS

OVER-EXPOSURE SIGNS/SYMSPTOMS

INHALATION: ADVERSE SYMPTOMS MAY INCLUDE THE FOLLOWING: RESPIRATORY
 TRACK IRRITATION, COUGHING
 INGESTION: NO SPECIFIC DATA
 SKIN: ADVERSE SYMPTOMS MAY INCLUDE THE FOLLOWING: IRRITATION,
 REDNESS
 EYES: ADVERSE SYMPTOMS MAY INCLUDE THE FOLLOWING: PAIN OR IRRITA-
 TION, WATERING, REDNESS
 MEDICAL CONDITIONS AGGRAVATED BY OVER-EXPOSURE: PRE-EXISTING SKIN
 DISORDERS MAY BE AGGRAVATED BY OVER-EXPOSSURE TO THIS
 PRODUCT.

SECTION IV	OCCUPATIONAL EXPOSURE LIMITS
-------------------	-------------------------------------

NO.	PEL/TWA	OSHA PEL/CEILING	TLV/TWA	ACGIH TLV/STEL	OTHER
1	NONE ESTABLISHED				
2	NONE ESTABLISHED				

SECTION V	EMERGENCY AND FIRST AID PROCEDURES
------------------	---

EYE CONTACT

IMMEDIATELY FLUSH EYES WITH PLENTY OF WATER FOR 15 MINUTES WHILE HOLDING EYELIDS OPEN. GET MEDICAL ATTENTION.

SKIN CONTACT

REMOVE CONTAMINATED CLOTHING/SHOES AND WIPE EXCESS FROM SKIN. FLUSH SKIN WITH WATER. FOLLOW BY WASHING WITH SOAP AND WATER. IF IRRITATION OCCURS, GET MEDICAL ATTENTION. DO NOT REUSE CLOTHING UNTIL CLEANED. CONTAMINATED LEATHER ARTICLES, INCLUDING SHOES, CANNOT BE DECONTAMINATED AND SHOULD BE DESTROYED TO PREVENT REUSE.

INHALATION

REMOVE VICTIM TO FRESH AIR AND PROVIDE OXYGEN IF BREATHING IS DIFFICULT. GIVE ARTIFICIAL RESPIRATION IF NOT BREATHING. GET MEDICAL ATTENTION.

INGESTION

WASH OUT MOUTH WITH WATER. REMOVE DENTURES IF ANY. MOVE EXPOSED PERSON TO FRESH AIR. KEEP PERSON WARM AND AT REST. IF MATERIAL HAS BEEN SWALLOWED AND THE EXPOSED PERSON IS CONSCIOUS, GIVE SMALL QUANTITIES OF WATER TO DRINK. STOP IF THE EXPOSED PERSON FEELS SICK AS VOMITING MAY BE DANGEROUS. DO NOT INDUCE VOMITING UNLESS DIRECTED TO DO SO BY MEDICAL PERSONNEL. IF VOMITING OCCURS, THE HEAD SHOULD BE KEPT LOW SO THAT VOMIT DOES NOT ENTER THE LUNGS. GET MEDICAL ATTENTION IF ADVERSE HEALTH EFFECTS PERSIST OR ARE SEVERE. NEVER GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON. IF UNCONSCIOUS, PLACE IN RECOVERY POSITION AND GET MEDICAL ATTENTION IMMEDIATELY. MAINTAIN AN OPEN AIRWAY. LOOSEN TIGHT CLOTHING SUCH AS A COLLAR, TIE, BELT OR WAISTBAND.

PROTECTION OF FIRST AID PERSONNEL

NO ACTION SHALL BE TAKEN INVOLVING ANY PERSONAL RISK OR WITHOUT SUITABLE TRAINING. IT MAY BE DANGEROUS TO THE PERSON PROVIDING AID TO GIVE MOUTH-TO-MOUTH RESUSCITATION. WASH CONTAMINATED CLOTHING THOROUGHLY WITH WATER BEFORE REMOVING IT, OR WEAR GLOVES.

NOTE TO PHYSICIAN

NO SPECIFIC TREATMENT. TREAT SYMPTOMATICALLY. CONTACT POISON TREATMENT SPECIALIST IMMEDIATELY IF LARGE QUANTITIES HAVE BEEN INGESTED OR INHALED.

SECTION VI	HANDLING AND STORAGE
-------------------	-----------------------------

HANDLING: PUT ON APPROPRIATE PERSONAL PROTECTIVE EQUIPMENT. EATING, DRINKING AND SMOKING SHOULD BE PROHIBITED IN AREAS WHERE THIS MATERIAL IS HANDLED, STORED AND PROCESSED. WORKERS SHOULD WASH HANDS AND FACE BEFORE EATING, DRINKING AND SMOKING. PERSONS WITH A HISTORY OF SKIN SENSITIZATION PROBLEMS SHOULD NOT BE EMPLOYED IN ANY PROCESS IN WHICH THIS PRODUCT IS USED. DO NOT GET IN EYES OR ON SKIN OR CLOTHING. DO NOT BREATHE VAPOR OR MIST. DO NOT INGEST. USE ONLY WITH ADEQUATE VENTILATION. WEAR APPROPRIATE RESPIRATOR WHEN VENTILATION IS INADEQUATE. KEEP IN THE ORIGINAL CONTAINER OR AN APPROVED ALTERNATIVE MADE FROM A COMPATIBLE MATERIAL, KEPT TIGHTLY CLOSED WHEN NOT IN USE. DO NOT REUSE CONTAINER.

STORAGE: STORE IN ACCORDANCE WITH LOCAL REGULATIONS. STORE IN ORIGINAL CONTAINER PROTECTED FROM DIRECT SUNLIGHT IN A DRY, COOL AND WELL-VENTILATED AREA, AWAY FROM INCOMPATIBLE MATERIALS AND FOOD AND DRINK. KEEP CONTAINER TIGHTLY CLOSED AND SEALED UNTIL READY FOR USE. CONTAINERS THAT HAVE BEEN OPENED MUST BE CAREFULLY RESEALED AND KEPT UPRIGHT TO PREVENT LEAKAGE. DO NOT STORE IN UNLABELED CONTAINERS. USE APPROPRIATE CONTAINMENT TO AVOID ENVIRONMENTAL CONTAMINATION. NOTE: THIS RESIN MAY BE HANDLED, SHIPPED AND STORED AT ELEVATED TEMPERATURE IN BULK.

SECTION VII	PHYSICAL DATA
--------------------	----------------------

FORM: THIXOTROPIC PASTE/GEL
 FLASH POINT: GREATER THAN 93.33 °c (199.99°F) SETAFLASH CLOSED CUP ASTM D3828
 COLOR: BLACK
 RELATIVE DENSITY: 1.1
 VAPOR PRESSURE: LESS THAN 1.22 MBAR
 SOLUBILITY: SLIGHTLY
 VAPOR DENSITY: GREATER THAN 1

SECTION VIII	FIRE AND EXPLOSION HAZARDS
---------------------	-----------------------------------

FLAMMABILITY OF THE PRODUCT: IN A FIRE OR IF HEATED, A PRESSURE INCREASE WILL OCCUR AND THE CONTAINER MAY BURST.

EXTINGUISHING MEDIA

SUITABLE: USE DRY CHEMICAL, CO2, WATER SPRAY (FOG) OR FOAM.
 NOT SUITABLE: NONE KNOWN.

SPECIFIC EXPOSURE HAZARDS: PROMPTLY ISOLATE THE SCENE BY REMOVING ALL PERSONS FROM THE VICINITY OF THE INCIDENT IF THERE IS A FIRE. NO ACTION SHALL BE TAKEN INVOLVING ANY PERSONAL RISK OR WITHOUT SUITABLE TRAINING.

HAZARDOUS COMBUSTION PRODUCTS: NO SPECIFIC DATA

SPECIAL PROTECTIVE EQUIPMENT FOR FIRE-FIGHTERS: FIRE-FIGHTERS SHOULD WEAR APPROPRIATE PROTECTIVE EQUIPMENT AND SELF-CONTAINED BREATHING APPARATUS (SCBA) WITH A FULL FACE-PIECE OPERATED IN POSITIVE PRESSURE MODE.

SECTION IX	REACTIVITY
-------------------	-------------------

STABILITY: STABLE **HAZARDOUS POLYMERIZATION:** WILL NOT OCCUR

CONDITIONS AND MATERIALS TO AVOID:

AVOID ALL POSSIBLE SOURCES OF IGNITION (SPARK OR FLAME). EXTREMES OF TEMPERATURE AND DIRECT SUNLIGHT. SURFACES THAT ARE SUFFICIENTLY HOT MAY IGNITE EVEN LIQUID PRODUCT IN THE ABSENCE OF SPARKS OR FLAME..

MATERIALS TO AVOID:

REACTIVE OR INCOMPATIBLE WITH THE FOLLOWING MATERIALS: STRONG OXIDIZING AGENTS, STRONG ACIDS, ALIPHATIC AMINES.

OTHER HAZARDS

HEATING THIS SUBSTANCE ABOVE 300°F IN THE PRESENCE OF AIR MAY CAUSE SLOW OXIDATIVE DECOMPOSITION; ABOVE 500°F POLYMERIZATION MAY OCCUR. SOME COMBINATIONS OF REINS AND CURING AGENTS CAN PRODUCT EXOTHERMIC REACTIONS WHICH IN LARGEMASSES CAN CAUSE RUNAWAY POLYMERIZATION AND CHARRING OF THE REACTANTS.

HAZARDOUS DECOMPOSITION PRODUCTS

UNDER NORMAL CONDITIONS OF STORAGE AND USE, HAZARDOUS DECOMPOSITION PRODUCTS SHOULD NOT BE PRODUCED.

SECTION X**EMPLOYEE PROTECTION**

CONSULT LOCAL AUTHORITIES FOR ACCEPTABLE EXPOSURE LIMITS.

RECOMMENDED MONITORING PROCEDURES: IF THIS PRODUCT CONTAINS INGREDIENTS WITH EXPOSURE LIMITS, PERSONAL WORKPLACE ATMOSPHERE OR BIOLOGICAL MONITORING MAY BE REQUIRED TO DETERMINE THE EFFECTIVENESS OF THE VENTILATION OR OTHER CONTROL MEASURES AND/OR THE NECESSITY TO USE RESPIRATORY PROTECTIVE EQUIPMENT.

ENGINEERING MEASURES: USE ONLY WITH ADEQUATE VENTILATION. IF USER OPERATIONS GENERATE DUST, FUMES, GAS, VAPOR OR MIST, USE PROCESS ENCLOSURES, LOCAL EXHAUST VENTILATION OR OTHER ENGINEERING CONTROLS TO KEEP WORKER EXPOSURE TO AIRBORNE CONTAMINANTS BELOW ANY RECOMMENDED OR STATUTORY LIMITS.

HYGIENE MEASURES: WASH HANDS, FOREARMS AND FACE THOROUGHLY AFTER HANDLING CHEMICAL PRODUCTS, BEFORE EATING, SMOKING AND USING THE LAVATORY AND AT THE END OF THE WORKING PERIOD. APPROPRIATE TECHNIQUES SHOULD BE USED TO REMOVE POTENTIALLY CONTAMINATED CLOTHING. WASH CONTAMINATED CLOTHING BEFORE REUSING. ENSURE THAT EYEWASH STATIONS AND SAFETY SHOWERS ARE CLOSE TO THE WORKSTATION LOCATION.

RESPIRATORY PROTECTION: USE A PROPERLY FITTED, AIR-PURIFYING OR AIR-FED RESPIRATOR COMPLYING WITH AN APPROVED STANDARD IF A RISK ASSESSMENT INDICATES THIS IS NECESSARY. RESPIRATOR SELECTION MUST BE BASED ON KNOWN OR ANTICIPATED EXPOSURE LEVELS, THE HAZARDS OF THE PRODUCT AND THE SAFE WORKING LIMITS OF THE SELECTED RESPIRATOR.

EYES: SAFETY EYEWEAR COMPLYING WITH AN APPROVED STANDARD SHOULD BE USED WHEN A RISK ASSESSMENT INDICATES THIS IS NECESSARY TO AVOID EXPOSURE TO LIQUID SPLASHES, MISTS, GASES OR DUSTS.

SKIN: PERSONAL PROTECTIVE EQUIPMENT FOR THE BODY SHOULD BE SELECTED BASED ON THE TASK BEING PERFORMED AND THE RISKS INVOLVED AND SHOULD BE APPROVED BY A SPECIALIST BEFORE HANDLING THIS PRODUCT.

ENVIRONMENTAL EXPOSURE CONTROLS: EMISSIONS FROM VENTILATION OR WORK PROCESS EQUIPMENT SHOULD BE CHECKED TO ENSURE THEY COMPLY WITH THE REQUIREMENTS OF ENVIRONMENTAL PROTECTION LEGISLATION. IN SOME CASES, FUME SCRUBBERS, FILTERS, OR ENGINEERING MODIFICATIONS TO THE PROCESS EQUIPMENT WILL BE NECESSARY TO REDUCE EMISSIONS TO ACCEPTABLE LEVELS.

SECTION XI**ENVIRONMENTAL PROTECTION/ ACCIDENTAL RELEASE MEASURES**

PERSONAL PRECAUTIONS: NO ACTION SHALL BE TAKEN INVOLVING ANY PERSONAL RISK OR WITHOUT SUITABLE TRAINING. EVACUATE SURROUNDING AREAS. KEEP UNNECESSARY AND UNPROTECTED PERSONNEL FROM ENTERING. DO NOT TOUCH OR WALK THROUGH SPILLED MATERIAL. AVOID BREATHING VAPOR OR MIST. PROVIDE ADEQUATE VENTILATION. WEAR

APPROPRIATE RESPIRATOR WHEN VENTILATION IS INADEQUATE. PUT ON APPROPRIATE PERSONAL PROTECTIVE EQUIPMENT.

ENVIRONMENTAL PRECAUTIONS: AVOID DISPERSAL OF SPILLED MATERIAL AND RUNOFF AND CONTACT WITH SOIL, WATERWAYS, DRAINS AND SEWERS. INFORM THE RELEVANT AUTHORITIES IF THE PRODUCT HAS CAUSED ENVIRONMENTAL POLLUTION (SEWERS, WATERWAYS, SOIL OR AIR).

LARGE SPILL: STOP LEAK IF WITHOUT RISK. MOVE CONTAINERS FROM SPILL AREA. APPROACH RELEASE FROM UPWIND. PREVENT ENTRY INTO SEWERS, WATER COURSES, BASEMENTS OR CONFINED AREAS. WASH SPILLAGES INTO AN EFFLUENT TREATMENT PLANT OR PROCEED AS FOLLOWS. CONTAIN AND COLLECT SPILLAGE WITH NON-COMBUSTIBLE, ABSORBENT MATERIAL E.G. SAND, EARTH, VERMICULITE OR DIATOMACEOUS EARTH AND PLACE IN CONTAINER FOR DISPOSAL ACCORDING TO LOCAL REGULATIONS. DISPOSE OF VIA A LICENSED WASTE DISPOSAL CONTRACTOR. CONTAMINATED ABSORBENT MATERIAL MAY POSE THE SAME HAZARD AS THE SPILLED PRODUCT.

SMALL SPILL: STOP LEAK IF WITHOUT RISK. MOVE CONTAINERS FROM SPILL AREA. DILUTE WITH WATER AND MOP UP IF WATER-SOLUBLE OR ABSORB WITH AN INERT DRY MATERIAL AND PLACE IN AN APPROPRIATE WASTE DISPOSAL CONTAINER. DISPOSE OF VIA A LICENSED WASTE DISPOSAL CONTRACTOR.

ECOLOGICAL INFORMATION:
NO KNOWN SIGNIFICANT EFFECTS OR CRITICAL HAZARDS.

OTHER ADVERSE EFFECTS: NO KNOWN SIGNIFICANT EFFECTS OR CRITICAL HAZARDS.

SECTION XII	SPECIAL PRECAUTIONS
--------------------	----------------------------

STORE IN A COOL, DRY PLACE WITH ADEQUATE VENTILATION. KEEP AWAY FROM OPEN FLAMES AND HIGH TEMPERATURES. HANDLE IN ACCORDANCE WITH THE POTENTIAL HAZARD OF THE CURING AGENT USED.

WARNING. POTENTIAL SENSITIZER. CONTAINERS, EVEN THOSE THAT HAVE BEEN EMPTIED, CAN CONTAIN HAZARDOUS PRODUCT RESIDUES. MINIMIZE ALL CONTACT WITH MATERIAL. WASH WITH SOAP AND WATER BEFORE EATING, DRINKING, SMOKING, APPLYING COSMETICS OR USING TOILET FACILITIES. LAUNDRY CONTAMINATED CLOTHING BEFORE REUSE. CONTAMINATED LEATHER ARTICLES, INCLUDING SHOES CANNOT BE DECONTAMINATED AND SHOULD BE DESTROYED TO PREVENT REUSE.

HEATING THIS RESIN ABOVE 300 DEG F IN THE PRESENCE OF AIR MAY CAUSE SLOW OXIDATIVE DECOMPOSITION ABOVE 500 DEG F, POLYMERIZATION MAY OCCUR. SOME CURING AGENTS, E.G., ALIPHATIC POLYAMINES CAN PRODUCE EXOTHERMIC REACTIONS WHICH IN LARGE MASSES CAN CAUSE RUNAWAY POLYMERIZATION AND CHARRING OF THE REACTANTS. FUMES AND VAPORS FROM THESE THERMAL AND CHEMICAL DECOMPOSITIONS VARY WIDELY IN COMPOSITION AND TOXICITY. DO NOT BREATHE FUMES.

USE A NIOSH-APPROVED RESPIRATOR AS REQUIRED TO PREVENT OVER EXPOSURE. IN ACCORD WITH 20 CFR 1910.134, USE EITHER AN ATMOSPHERE-SUPPLYING RESPIRATOR OR AN AIR-PURIFYING RESPIRATOR FOR ORGANIC VAPORS. IF THIS RESIN IS HANDLED, SHIPPED, OR STORED IN BULK, THE RECOMMENDED PUMPING TEMPERATURE IS 180 DEG F, MAX. TO PREVENT THERMAL BURNS. AVOID

SKIN AND EYE CONTACT WITH HOT LIQUID.

SECTION XIII	TRANSPORTATION REQUIREMENTS
---------------------	------------------------------------

THE DATE PROVIDED IN THIS SECTION IS FOR INFORMATION ONLY AND MAY NOT BE SPECIFIC TO YOUR PACKAGE SIZE OR MODE OF TRANSPORT. YOU WILL NEED TO APPLY THE APPROPRIATE REGULATIONS TO PERPERLY CLASSIFY YOUR SHIPMENT FOR TRANSPORTATION.

DEPARTMENT OF TRANSPORTATION CLASSIFICATION
NOT HAZARDOUS BY D.O.T. REGULATIONS

D.O.T PROPER SHIPPING NAME:
NOT REGULATED

OTHER REQUIREMENTS:
NONE

SECTION XIV	OTHER REGULATORY CONTROLS
--------------------	----------------------------------

US REGULATIONS:

HCS CLASSIFICATION: IRRITATING MATERIAL, SENSITIZING MATERIAL

SARA 311/312 CLASSIFICATION: IMMEDIATE (ACUTE) HEALTH HAZARD

SARA 313 SUPPLIER NOTIFICATIONS: NONE REQUIRED

SARA 302 EXTREMELY HAZARDOUS SUBSTANCES: NONE REQUIRED

IN ACCORDANCE WITH SARA TITLE III, SECTION 313, THE ENVIRONMENTAL DATA SHEET (EDS) SHOULD ALWAYS BE COPIED AND SENT WITH THE MSDS.

CANADA:

WHMIS (CANADA) CLASS D-2B: MATERIAL CAUSING OTHER TOXIC EFFECTS (TOXIC)

CANADIAN LISTS CANADIAN NPRI: NONE REQUIRED

INTERNATIONAL REGULATIONS:

CHEMICAL INVENTORIES

EUROPE INVENTORY – ALL COMPONENTS ARE LISTED OR EXEMPT

AUSTRALIA INVENTORY (AICS) – ALL COMPONENTS ARE LISTED OR EXEMPT

CHINA INVENTORY (IECSC) – ALL COMPONENTS ARE LISTED OR EXEMPT

KOREA INVENTORY (KECI) – ALL COMPONENTS ARE LISTED OR EXEMPT

PHILLIPINES INVENTORY (PICCS) – ALL COMPONENTS ARE LISTED OR EXEMPT

JAPAN INVENTORY (ENCS) – ALL COMPONENTS ARE LISTED OR EXEMPT

UNITED STATES INVENTORY (TSCA 8B) – ALL COMPONENTS ARE LISTED OR EXEMPT

CANADA INVENTORY – ALL COMPONENTS ARE LISTED OR EXEMPT

SECTION XV	STATE REGULATORY INFORMATION
-------------------	-------------------------------------

STATE REGULATIONS: **MASSACHUSETTS RTK SUBSTANCES – NONE REQUIRED**

NEW JERSEY RTK HAZARDOUS SUBSTANCES – NON REQUIRED

PENNSYLVANIA RTK HAZARDOUS SUBSTANCES – NON REQUIRED

CALIFORNIA PROP. 65: WARNING: THIS PRODUCT CONTAINS A CHEMICAL TO CAUSE CANCER AND BIRTH DEFECTS OR OTHER REPRODUCTIVE HARM. OXIRANE, (PHENOXYMETHYL)—122-60-1, EPICHLOROHYDRIN – 106-89-8

THE FOLLOWING CHEMICALS ARE SPECIFICALLY LISTED BY INDIVIDUAL STATES: OTHER PRODUCT SPECIFIC HEALTH AND SAFETY DATA IN OTHER SECTIONS OF THE MSDS MAY ALSO BE APPLICABLE FOR STATE REQUIREMENTS. FOR DETAILS ON YOUR REGULATORY REQUIREMENTS YOU SHOULD CONTACT THE APPROPRIATE AGENCY IN YOUR STATE.

STATE LISTED COMPONENT	PERCENT	STATE CODE

EPICHLOROXYDRIN (CAS NO: 106-89-8)	2 PPM	MA, CA65C

CA = CALIFORNIA HAZ. SUBS. LIST: CA65C, CA65R, CA65C/R = CALIFORNIA SAFE DRINKING WATER AND TOXIC ENFORCEMENT ACT OF 1986 OR PROPOSITION 65 LIST; CT = CONNECTICUT TOXIC SUBST. LIST; FL = FLORIDA SUBST. LIST; IL = ILLINOIS TOX. SUBST. LIST; LA = LOUISIANA HAZ. SUBST. LIST; MA = MASSACHUSETTS SUBST. LIST; ME = MAINE HAZ. SUBST. LIST; MN = MINNESOTA HAZ. SUBST. LIST; NJ = NEW JERSEY HAZ. SUBST. LIST; PA = PENNSYLVANIA HAZ. SUBST. LIST; RI = RHODE ISLAND HAZ. SUBST. LIST.

CALIFORNIA PROPOSITION 65 FOOTNOTE: CA65C = THE CHEMICAL IDENTIFIED WITH THIS CODE IS KNOWN TO THE STATE OF CALIFORNIA TO CAUSE CANCER. CA65R = THE CHEMICAL IDENTIFIED WITH THIS CODE IS KNOWN TO THE STATE OF CALIFORNIA TO CAUSE BIRTH DEFECTS OR OTHER REPRODUCTIVE HARM. CA65C/R = THE CHEMICAL IDENTIFIED WITH THIS CODE IS KNOWN TO THE STATE OF CALIFORNIA TO CAUSE BOTH CANCER AND BIRTH DEFECTS OR OTHER REPRODUCTIVE HARM.

SECTION XVI	SPECIAL NOTES
--------------------	----------------------

HAZARDOUS MATERIAL INFORMATION SYSTEM III U.S.A.	HEALTH: 2 FLAMMABILITY: 2 PHYSICAL HAZARDS: 0 CHRONIC:
--	---

THE INFORMATION CONTAINED HEREIN IS BASED ON THE DATA AVAILABLE TO US AND IS BELIEVED TO BE CORRECT. HOWEVER, B D CLASSIC MAKES NO WARRANTY, EXPRESSED OR IMPLIED REGARDING THE ACCURACY OF THESE DATA OR THE RESULTS TO BE OBTAINED FROM THE USE THEREOF. B D CLASSIC ASSUMES NO RESPONSIBILITY FOR INJURY FROM THE USE OF THE PRODUCT DESCRIBED HEREIN.

BE SAFE
READ OUR PRODUCT SAFETY INFORMATION...AND PASS IT ON
(PRODUCT LIABILITY REQUIRES IT)